

World Spider Catalog (accessed 18 January 2015)
Family: Theridiidae Sundevall, 1833

Gen. *Anelosimus* Simon, 1891

<i>Anelosimus analyticus</i> (Chamberlin, 1924)	AZ?, CA
<i>Anelosimus arizona</i> Agnarsson, 2006	AZ
<i>Anelosimus studiosus</i> (Hentz, 1850)	

AL, AR, CT, DC, FL, GA, LA, MD, MS, NC, SC, TN, TX, VA

Gen. *Argyrodes* Simon, 1864

<i>Argyrodes elevatus</i> Taczanowski, 1873	
AL, CA, FL, GA, LA, MO, MS, NC, SC, TX, VA	
<i>Argyrodes nephilae</i> Taczanowski, 1873	
AR, FL, MS, SC	
<i>Argyrodes pluto</i> Banks, 1906	
MD, MO, TX, VA	

Gen. *Asagena* Sundevall, 1833

<i>Asagena americana</i> Emerton, 1882	
AB, BC, MB, NB, ON, PQ, SK; AL, AZ, CO, CT, DC, FL, GA, ID, IL, IN, MD, ME, MI, MO, MS, NC, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, TN, TX, UT, VA, VT, WA, WI, WV	
<i>Asagena fulva</i> (Keyserling, 1884)	
AL, AZ, CA, CO, FL, GA, ID, LA, MS, NE, NM, NV, OK, OR, TX, UT	
<i>Asagena medialis</i> (Banks, 1898)	
AZ, CA, CO, NM, OR, UT, WY	
<i>Asagena pulcher</i> (Keyserling, 1884)	
AZ, CA, CO, NM, OR	

Gen. *Canalidion* Wunderlich, 2008

<i>Canalidion montanum</i> (Emerton, 1882)	
AB, BC, LB, MB, NB, NF, NS, ON, PE, PQ, SK, YT; AK, CO, ME, MI, MN, MT, NH, NM, NY, OR, TN, UT, VA, VT, WA, WY	

Gen. *Chrosiothes* Simon, 1894

<i>Chrosiothes chirica</i> (Levi, 1954)	
AZ, CO, UT	
<i>Chrosiothes iviei</i> Levi, 1964	CA
<i>Chrosiothes jenningsi</i> Piel, 1995	WV
<i>Chrosiothes jocosus</i> (Gertsch & Davis, 1936)	TX
<i>Chrosiothes minusculus</i> (Gertsch, 1936)	TX
<i>Chrosiothes portalensis</i> Levi, 1964	AZ
<i>Chrosiothes sylvaticus</i> Simon, 1894	FL

Gen. *Chrysso* O. Pickard-Cambridge, 1882

Chrysso albomaculata O. Pickard-Cambridge, 1882

MB; AL, FL, GA, LA, MS, NC, SC, TX	
Chrysso nordica (Chamberlin & Ivie, 1947)	
NT, SK, YT; AK, CA, CO, MT, UT	
Chrysso pelyx (Levi, 1957)	OR, UT
Chrysso pulcherrima (Mello-Leitão, 1917)	FL
Gen. Coleosoma O. Pickard-Cambridge, 1882	
Coleosoma acutiventer (Keyserling, 1884)	
AL, FL, GA, MS, TX	
Coleosoma floridanum Banks, 1900	
ON, PQ; FL, MA, ME, MN, NJ	
Coleosoma normale Bryant, 1944	
AZ, CA, FL, NC	
Gen. Crustulina Menge, 1868	
Crustulina altera Gertsch & Archer, 1942	
ON; AL, AR, CT, DC, FL, GA, IL, IN, LA, MA, MD, MN, MO, MS, NC, NJ, NY, OH,	
PA, SC, TN, TX, VA, WI	
Crustulina sticta (O. Pickard-Cambridge, 1861)	
AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK; AK, AZ, CA, CO, CT, IA, ID, IL, MA,	
ME, MI, MN, NE, NH, NJ, NY, OH, OR, TX, UT, VA, WA, WI, WV, WY	
Gen. Cryptachaea Archer, 1946	
Cryptachaea ambera (Levi, 1963)	UT, WY
Cryptachaea blattea (Urquhart, 1886)	
BC; FL (introduced)	
Cryptachaea canionis (Chamberlin & Gertsch, 1929)	
BC; AZ, CA, TX, UT	
Cryptachaea chiricahua (Levi, 1955)	AZ
Cryptachaea fresno (Levi, 1955)	CA
Cryptachaea insulsa (Gertsch & Mulaik, 1936)	TX
Cryptachaea porteri (Banks, 1896)	
AL, AR, FL, GA, IN, KS, KY, LA, MO, NC, NY, OH, SC, TN, TX, VA	
Cryptachaea rupicola (Emerton, 1882)	
ON, PQ; AL, CT, GA, IL, IN, KY, LA, MA, MD, ME, MI, MS, NC, NH, NJ, NY, OH,	
PA, SC, TN, VA, WI	
Cryptachaea serenoae (Gertsch & Archer, 1942)	AL, FL
Gen. Dipoena Thorell, 1869	
Dipoena abdita Gertsch & Mulaik, 1936	
AL, AZ, CA, FL, GA, MS, NV, SC, TX	
Dipoena appalachia Levi, 1953	
PQ; DC, GA, MD, MS, NC, TN, VA	
Dipoena bernardino Levi, 1963	CA
Dipoena buccalis Keyserling, 1886	
ON; AL, AR, AZ, CT, DC, FL, MD, MS, NC, NJ, NY, OH, PA, SC, TX, VA	

<i>Dipoena cathedralis</i> Levi, 1953	TX
<i>Dipoena chathami</i> Levi, 1953	AZ, GA
<i>Dipoena dorsata</i> Muma, 1944	
AZ, FL, MD, NC	
<i>Dipoena lana</i> Levi, 1953	CA, OR
<i>Dipoena malkini</i> Levi, 1953	
BC; AZ, CA, NM, OR, UT	
<i>Dipoena neotoma</i> Levi, 1953	CA
<i>Dipoena nigra</i> (Emerton, 1882)	
BC, MB, NB, NF, NS, ON, PQ, SK; AR, AZ, CA, CO, CT, DC, FL, GA, IA, ID, IL, MA, ME, MI, MN, MS, MT, NC, NH, NJ, NM, NY, OK, OH, OR, PA, SC, SD, TN, TX, UT, VT, VA, WA, WI, WV, WY	
<i>Dipoena provalis</i> Levi, 1953	OR, UT
<i>Dipoena rita</i> Levi, 1953	AZ
<i>Dipoena sulfurica</i> Levi, 1953	AZ, NM
<i>Dipoena washougalia</i> Levi, 1953	
BC; OR, WA	
Gen. <i>Emertonella</i> Bryant, 1945	
<i>Emertonella emertoni</i> (Bryant, 1933)	
AL, FL, GA, MA, NC, NY, SC, TN	
<i>Emertonella taczanowskii</i> (Keyserling, 1886)	
AZ, CO, FL, MA, NM, TX, UT	
Gen. <i>Enoplognatha</i> Pavesi, 1880	
<i>Enoplognatha caricensis</i> (Fickert, 1876)	
AB, MB, NF, ON, PQ, SK; AK, CO, CT, IA, IL, MA, MD, ME, MI, MN, NJ, NY, OH, PA, RI, TX, VA, WA, WI	
<i>Enoplognatha intrepida</i> (Sørensen, 1898)	
AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK, YT; AK, CO, CT, IL, MA, MI, MN, MT, NH, NM, NY, PA, WI, WY	
<i>Enoplognatha joshua</i> Chamberlin & Ivie, 1942	
AB, BC, SK; AZ, CA, GA, ID, UT, VA, WA, WY	
<i>Enoplognatha latimana</i> Hippa & Oksala, 1982	
BC, NS, PQ	
<i>Enoplognatha maricopa</i> Levi, 1962	AZ, CA
<i>Enoplognatha marmorata</i> (Hentz, 1850)	
AB, BC, MB, NB, NF, NS, ON, PQ, SK; AL, AZ, CA, CO, CT, GA, IA, IL, MO, MD, ME, MI, MN, MS, MT, NC, ND, NH, NJ, NM, NY, OH, OR, RI, TN, TX, UT, VA, WA, WI, WY	
<i>Enoplognatha ovata</i> (Clerck, 1757)	
BC, NB, NF, NS, ON, PE, PQ, SK; CA, MA, ME, NY, OH, RI, WA, WI	
<i>Enoplognatha selma</i> Chamberlin & Ivie, 1946	CA, OR
<i>Enoplognatha thoracica</i> (Hahn, 1833)	
BC, PQ; OR	
<i>Enoplognatha wyuta</i> Chamberlin & Ivie, 1942	

BC; SD, UT, WY

Gen. Episinus Walckenaer, in Latreille, 1809

Episinus amoenus Banks, 1911

AL, DC, FL, GA, MD, MS, NC, OH, TN, VA

Gen. Euryopis Menge, 1868

Euryopis argentea Emerton, 1882

AB, MB, NB, NS, ON, PQ, SK, YT; CO, CT, IL, MA, MD, MI, NJ, NY, OH, OR, VA, WI

Euryopis californica Banks, 1904

AZ, CA, NV, WI

Euryopis coki Levi, 1954

ID, UT, WY

Euryopis formosa Banks, 1908

BC; CA, ID, OR, UT, WA, WY

Euryopis funebris (Hentz, 1850)

BC, MB, NS, ON, PQ; AL, AR, CT, FL, GA, IA, IL, IN, LA, MA, MD, ME, MI, MS, NC, ND, NH, NJ, NY, OH, PA, SC, TN, VA, WI

Euryopis gertschi Levi, 1951

MB, ON, PQ, SK; CT, DC, IL, IN, MA, MI, VA

TX

Euryopis lineatipes O. Pickard-Cambridge, 1893

AZ, TX

Euryopis mulaiki Levi, 1954

Euryopis pepini Levi, 1954

ON; IA, OH, WI

Euryopis quinquemaculata Banks, 1900

DC, GA, MD, NY, OH, TX, VA

Euryopis saukea Levi, 1951

AB, MB, SK; MI, MN, NJ, WI

Euryopis scriptipes Banks, 1908

AB, BC, SK; AZ, CO, NE, NM, SD, UT, WY

CO

Euryopis spinigera O. Pickard-Cambridge, 1895

AZ, CA, NM, OK, TX, UT

Euryopis spiritus Levi, 1954

FL

Euryopis tavara Levi, 1954

FL, GA, SC

Euryopis texana Banks, 1908

AZ, CO, TX, UT

OK

Euryopis varis Levi, 1963

Euryopis weesei Levi, 1963

Gen. Faiditus Keyserling, 1884

Faiditus americanus (Taczanowski, 1874)

FL, MS, TX

Faiditus cancellatus (Hentz, 1850)

ON; AL, AR, CT, DC, FL, KY, LA, MO, MS, NC, NH, NY, OH, PA, SC, TN, TX, VA

<i>Faiditus caudatus</i> (Taczanowski, 1874)	TX, FL
<i>Faiditus davisi</i> (Exline & Levi, 1962)	TX
<i>Faiditus dracus</i> (Chamberlin & Ivie, 1936)	AL
<i>Faiditus globosus</i> (Keyserling, 1884)	
AL, FL, LA, SC, TX	
<i>Faiditus maculosus</i> (O. Pickard-Cambridge, 1898)	FL
<i>Faiditus subdolus</i> (O. Pickard-Cambridge, 1898)	AZ, TX
Gen. <i>Hentziectypus</i> Archer, 1946	
<i>Hentziectypus conjunctus</i> (Gertsch & Mulaik, 1936)	
PQ; FL, LA, MS, NC, SC	
<i>Hentziectypus florendidus</i> (Levi, 1959)	TX
<i>Hentziectypus florens</i> (O. Pickard-Cambridge, 1896)	TX
<i>Hentziectypus globosus</i> (Hentz, 1850)	
MB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, KY, LA, MA, MD, ME, MI, MN, MO, MS, NC, NH, NJ, NY, OH, PA, SC, TN, TX, WI	
<i>Hentziectypus schullei</i> (Gertsch & Mulaik, 1936)	
AZ, CA, FL, TX	
Gen. <i>Lasaeola</i> Simon, 1881	
<i>Lasaeola atopa</i> (Chamberlin, 1949)	CA, UT
<i>Lasaeola prona</i> (Menge, 1868)	
NS, PQ, SK; AZ, CA, CO, IL, MA, MI, NC, NM, NY, RI, SD, UT	
Gen. <i>Latrodectus</i> Walckenaer, 1805	
<i>Latrodectus bishopi</i> Kaston, 1938	FL
<i>Latrodectus geometricus</i> C. L. Koch, 1841	
CA, FL, TX	
<i>Latrodectus hesperus</i> Chamberlin & Ivie, 1935	
AB, BC, SK; AR, AZ, CA, CO, IA, KS, MN, NM, OK, OR, TX, WA	
<i>Latrodectus mactans</i> (Fabricius, 1775)	
AL, AR, CA, CT, FL, GA, IL, IN, KS, LA, MO, MN, MS, NC, NJ, NY, OH, OK, SC, TN, TX, VA	
<i>Latrodectus variolus</i> Walckenaer, 1837	
AB, BC, ON; AR, CA, FL, GA, IL, KS, MA, MI, MO, OH, SC, TX, UT, VT, WA, WI, WV	
Gen. <i>Neopisinus</i> Marques, Buckup & Rodrigues, 2011	
<i>Neopisinus cognatus</i> (O. Pickard-Cambridge, 1893)	TX
Gen. <i>Neospintharus</i> Exline, 1950	
<i>Neospintharus baboquivari</i> (Exline & Levi, 1962)	AZ, NM
<i>Neospintharus furcatus</i> (O. Pickard-Cambridge, 1894)	
AL, CA, FL, GA, MS, SC, TX	
<i>Neospintharus trigonum</i> (Hentz, 1850)	
NB, NS, ON, PQ; AL, AR, CT, FL, GA, KY, MD, MA, ME, MI, MO, MS, NC, NH,	

NY, OH, PA, SC, TN, TX, VA, WI, WV

Gen. *Neottiura* Menge, 1868

Neottiura bimaculata (Linnaeus, 1767)
AB, BC, NB, NF, NS, ON, PQ; WA

Gen. *Nesticodes* Archer, 1950

Nesticodes rufipes (Lucas, 1846)
FL, TX, WA

Gen. *Ohlertidion* Wunderlich, 2008

Ohlertidion ohlerti (Thorell, 1870)
AB, BC, LB, MB, NB, NF, NT, ON, PQ, SK, YT; AK, CA, CO, ID, MT, NM, OR, UT, WY

Gen. *Parasteatoda* Archer, 1946

Parasteatoda tabulata (Levi, 1980)

NB, NF, ON, PQ

Parasteatoda tepidariorum (C. L. Koch, 1841)

AB, BC, MB, NF, NS, ON, PQ, SK; AL, AR, AZ, CA, CO, CT, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, NC, NH, NJ, NY, OH, OR, PA, SC, TN, TX, VA, VT, WA, WI, WV

Gen. *Paratheridula* Levi, 1957

Paratheridula perniciosa (Keyserling, 1886)
AL, FL, GA, LA, MS, TX

Gen. *Pholcomma* Thorell, 1869

Pholcomma barnesi Levi, 1957 NC, PA

Pholcomma carota Levi, 1957

FL, GA, NC, SC

Pholcomma hirsutum Emerton, 1882

ON, PQ; CT, FL, GA, IN, KY, MD, MI, MO, MS, NC, NH, NJ, NY, OH, PA, SC, TN, TX, VA, WI

Gen. *Phoroncidia* Westwood, 1835

Phoroncidia americana (Emerton, 1882)

NB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IN, MA, MD, MI, MS, NC, NJ, NY, OH, SC, TN, TX

Gen. *Phycosoma* O. Pickard-Cambridge, 1879

Phycosoma lineatipes (Bryant, 1933)
AL, FL, LA, TX

Gen. *Phylloneta* Archer, 1950

Phylloneta impressa (L. Koch, 1881)

AB, BC, NT, PQ, SK, YT; AK
Phylloneta pictipes (Keyserling, 1884)
AL, FL, GA, OH, SC

Gen. Platnickina Koçak & Kemal, 2008

Platnickina alabamensis (Gertsch & Archer, 1942)
NB, PQ; AL, CA, CT, FL, GA, IL, LA, MA, MD, MS, NC, NJ, NY, OH, PA, RI, TX,
WI
Platnickina antoni (Keyserling, 1884)
AR, CT, FL, MD, MS, NY, TN, TX
Platnickina mneon (Bösenberg & Strand, 1906)
AL, FL, LA, MS, TX
Platnickina punctosparsa (Emerton, 1882)
AR, CT, FL, IL, KY, MA, MD, NC, NJ, NY, OH, TN, TX
Platnickina tincta (Walckenaer, 1802)
BC; AR, OR, WA

Gen. Rhomphaea L. Koch, 1872

Rhomphaea fictilium (Hentz, 1850)
BC, MB, NS, ON, PQ; AL, AZ, CA, CT, FL, GA, MA, ME, MN, MO, MS, NC, NY,
OH, OR, SC, TN, TX, WA
Rhomphaea projiciens O. Pickard-Cambridge, 1896 FL, TX

Gen. Robertus O. Pickard-Cambridge, 1879

Robertus arcticus (Chamberlin & Ivie, 1947)
AB, MB, ON, SK; AK
Robertus banksi (Kaston, 1946)
AB, MB, NF, NS, ON, PQ, SK; CT, MA, MD, MI, NH, NJ, NY, WI, VT
Robertus borealis (Kaston, 1946)
AB, BC, NB, NF, NS, ON, PQ, SK; ME, MI, NY

ON; IL, MI, NY, OH, UT, WI
Robertus floridensis (Kaston, 1946) FL
Robertus frontatus (Banks, 1892)

MB

- Robertus pumilus* (Emerton, 1909)
 PQ; CT, IN, MA, ME, NH, NY, PA
- Robertus riparius* (Keyserling, 1886)
 MB, NB, NF, NS, ON, PQ; AK, AR, CT, IL, IN, MA, ME, MI, MN, MS, NC, NE, NH,
 NJ, NY, OH, PA, SD, TN, VT, WI, WY
- Robertus similis* (Kaston, 1946) NY
- Robertus spinifer* (Emerton, 1909)
 NB, NS, ON, PQ; CT, IA, MA, MI, NE, NH, NY
- Robertus vigerens* (Chamberlin & Ivie, 1933)
 AB, BC, YT; AK, CA, ID, MT, OR, UT, WA
- Gen. *Rugathodes* Archer, 1950
- Rugathodes aurantius* (Emerton, 1915)
 AB, BC, MB, NB, NF, NS, ON, PQ, SK, YT; AK, ME, MI, NH, NY, TN, WI, WY
- Rugathodes sexpunctatus* (Emerton, 1882)
 AB, BC, MB, NF, ON, PQ, SK, YT; AK, AZ, CA, FL, ID, MA, MD, ME, MI, NC, NH,
 NY, OH, OR, PA, TN, UT, VT, WA, WI, WV, WY
- Gen. *Simitidion* Wunderlich, 1992
- Simitidion simile* (C. L. Koch, 1836) BC; WA
- Gen. *Spintharus* Hentz, 1850
- Spintharus flavidus* Hentz, 1850
 AL, AR, CT, DC, FL, GA, KY, MA, MD, MS, NC, NJ, NY, OH, OK, SC, TN, TX, VA,
 WV
- Gen. *Steatoda* Sundevall, 1833
- Steatoda alamosa* Gertsch, 1960 TX
- Steatoda albomaculata* (De Geer, 1778)
 AB, BC, MB, NB, NT, ON, PE, PQ, SK, YT; AZ, CA, CO, CT, IA, ID, IL, IN, MA, MI,
 MN, MT, NE, NH, NM, NY, OH, OR, SD, UT, WA, WI, WY
- Steatoda apacheana* Gertsch, 1960
- AZ, CO, NM
- Steatoda atascadera* Chamberlin & Ivie, 1942 CA
- Steatoda bipunctata* (Linnaeus, 1758)
 BC, NB, NF, NS, ON, PQ; ME, NH
- Steatoda borealis* (Hentz, 1850)
 AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; AK, CO, CT, DE, FL, IA, IL, IN, KS, KY,
 LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NY, OH, PA, RI, SC,
 SD, TX, VA, VT, WI, WV
- Steatoda castanea* (Clerck, 1757)
 MB, ON, PQ
- Steatoda erigoniformis* (O. Pickard-Cambridge, 1872) CT, FL
- Steatoda grandis* Banks, 1901
- AZ, CO, NM, OR, SD, UT, WY
- Steatoda grossa* (C. L. Koch, 1838)

BC, NS, ON; AL, AZ, CA, CT, FL, GA, LA, MA, MS, OR, RI, SC, WA	
Steatoda hespera Chamberlin & Ivie, 1933	
BC; CA, CO, ID, MT, NV, OR, UT, WA, WY	
Steatoda mexicana Levi, 1957	
AZ, CO, ID, NM, TX, UT	
Steatoda nobilis (Thorell, 1875)	CA
Steatoda palomara Chamberlin & Ivie, 1935	AR, CA
Steatoda punctulata (Marx, 1898)	AZ, TX
Steatoda quadrimaculata (O. Pickard-Cambridge, 1896)	
AL, FL, LA, MS, TX	
Steatoda transversa (Banks, 1898)	
AZ, CA, TX	
Steatoda triangulosa (Walckenaer, 1802)	
ON, PQ; AL, AR, CA, CO, CT, DC, FL, GA, IA, ID, IL, IN, KS, LA, MA, MD, MI, MO, MN, MS, NC, NE, NJ, NY, OH, OK, OR, PA, SC, TX, UT, VA, WI, WV	
Steatoda variata Gertsch, 1960	
AZ, CO, NM, TX, UT, WY	
Steatoda variata china Gertsch, 1960	TX
Steatoda washona Gertsch, 1960	
AZ, CA, ID, NV, OR, UT	
Gen. Stemmops O. Pickard-Cambridge, 1894	
Stemmops bicolor O. Pickard-Cambridge, 1894	
AL, FL, GA, MS, TX	
Stemmops ornatus (Bryant, 1933)	
FL, GA, MO, MS, NC, NJ, OH	
Gen. Styposis Simon, 1894	
Styposis ajo Levi, 1960	AZ
Gen. Tekellina Levi, 1957	
Tekellina archboldi Levi, 1957	FL
Gen. Theonoe Simon, 1881	
Theonoe stridula Crosby, 1906	
MB, NB, NF, ON, PQ, SK; AK, MO, NC, NY, VA, WI	
Gen. Theridion Walckenaer, 1805	
Theridion aeolium Levi, 1963	AZ
Theridion agrifoliae Levi, 1957	
BC; CA, OR, WA	
Theridion albidum Banks, 1895	
ON, PQ; AL, CT, DE, IA, IL, IN, KY, LA, MA, MD, MI, MO, NC, NJ, NS, NY, OH, PA, TN, VA, WI, WV	
Theridion arizonense Levi, 1957	AZ, NM
Theridion australe Banks, 1899	

AR, DE, FL, LA, MD, MS, NC, NJ, TX, UT	
Theridion californicum Banks, 1904	
BC; CA, OR, WA	
Theridion cameronense Levi, 1957	TX
Theridion cheimatos Gertsch & Archer, 1942	
DE, GA, FL, OH, TN	
Theridion cinctipes Banks, 1898	TX
Theridion cochise Levi, 1963	AZ
Theridion cowlesae Levi, 1957	CA
Theridion cynicum Gertsch & Mulaik, 1936	TX
Theridion differens Emerton, 1882	
AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK; AL, AR, CA, CO, CT, FL, GA, ID, IA, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, MS, MT, NC, NE, NH, NJ, NY, OH, OK, OR, PA, SC, SD, TN, TX, UT, VA, VT, WA, WI, WY	
Theridion dilutum Levi, 1957	
AZ, CA, NV, TX, UT	
Theridion dividuum Gertsch & Archer, 1942	
AL, NC, SC, TX	
Theridion dulcineum Gertsch & Archer, 1942	
AL, GA, MD, TN, TX	
Theridion ellicottense Dobyns & Bond, 1996	GA
Theridion flavonotatum Becker, 1879	
AL, AR, FL, GA, KY, MD, MS, NC, OH, SC, TN, TX	
Theridion frondeum Hentz, 1850	
AB, BC, MB, NB, NS, ON, PQ; AL, AR, AZ, CA, CT, FL, IA, IL, LA, MA, MD, ME, MI, MN, MS, NC, ND, NH, NJ, NY, OH, PA, SC, SK, TN, TX, VA, VT, WA, WI, WV	
Theridion geminipunctum Chamberlin, 1924	CA
Theridion gertschi Levi, 1959	AZ
Theridion glaucescens Becker, 1879	
MB, NB, NF, NS, ON, PE, PQ; AL, CT, FL, GA, IL, IN, KY, LA, MA, MD, ME, MI, MS, NC, NE, NH, NJ, NY, OH, PA, SC, TN, TX, VA, VT, WI, WV	
Theridion goodnightorum Levi, 1957	
AZ, CA, CO, NM, TX, UT, WY	
Theridion hemerobium Simon, 1914	
BC, MB, ON, PQ; CA, CT, IL, MA, MI, MN, NJ, NY, OH, OR, UT, WI	
Theridion hidalgo Levi, 1957	TX
Theridion intritum (Bishop & Crosby, 1926)	
AL, FL, GA	
Theridion istokpoga Levi, 1957	FL
Theridion kawea Levi, 1957	
CA, TX, UT	
Theridion lawrencei Gertsch & Archer, 1942	
BC; CA, ID, OR, WA	
Theridion leechi Gertsch & Archer, 1942	
BC; CA, CO, ID, OR, UT, WA, WY	
Theridion leviorum Gertsch & Riechert, 1976	NM

<i>Theridion llano</i> Levi, 1957	TX
<i>Theridion logan</i> Levi & Patrick, 2013	UT
<i>Theridion melanostictum</i> O. Pickard-Cambridge, 1876	
PQ; FL (introduced)	
<i>Theridion melanurum</i> Hahn, 1831	
BC; CA, ID, UT	
<i>Theridion michelbacheri</i> Levi, 1957	
CA, MT, OR, WA	
<i>Theridion morulum</i> O. Pickard-Cambridge, 1898	AZ
<i>Theridion murarium</i> Emerton, 1882	
AB, BC, MB, NB, NF, NS, ON, PQ, SK; AL, AR, AZ, CA, CO, CT, FL, GA, IA, IL, IN, LA, MA, MD, ME, MI, MN, MS, MT, NC, ND, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI	
<i>Theridion myersi</i> Levi, 1957	FL, TX
<i>Theridion neomexicanum</i> Banks, 1901	
BC; AZ, CA, CO, ID, MT, NM, OR, UT, WA	
<i>Theridion neshamini</i> Levi, 1957	
AR, DE, GA, IL, NC, OH, PA, VA	
<i>Theridion orlando</i> (Archer, 1950)	
FL, GA, LA	
<i>Theridion pennsylvanicum</i> Emerton, 1913	
ON; AL, CT, FL, IL, MA, MD, MO, NC, NJ, NY, OH, SC, TN	
<i>Theridion petraeum</i> L. Koch, 1872	
AB, BC, MB, NB, NF, NS, ON, SK, YT; CA, CO, ID, ME, MI, ND, NE, NY, UT, WA	
<i>Theridion pictum</i> (Walckenaer, 1802)	
AB, BC, LB, MB, NB, NF, NS, NT, ON, PQ, SK; ID, IL, MA, ME, MI, MN, MT, NE, NH, NY, SD, UT, WA, WI, WY	
<i>Theridion pierre</i> Levi & Patrick, 2013	SD
<i>Theridion positivum</i> Chamberlin, 1924	
CA, FL, TX	
<i>Theridion punctipes</i> Emerton, 1924	
CA, OR, WA	
<i>Theridion rabuni</i> Chamberlin & Ivie, 1944	
BC, NS, ON, SK; AR, CA, CO, DE, GA, MD, NC, NE, NJ, SD, TX, UT	
<i>Theridion saanichum</i> Chamberlin & Ivie, 1947	
BC; AK, CA, OR, WA	
<i>Theridion sardis</i> Chamberlin & Ivie, 1944	FL, GA
<i>Theridion submissum</i> Gertsch & Davis, 1936	
AZ, NM, TX	
<i>Theridion timpanogos</i> Levi, 1957	UT
<i>Theridion transgressum</i> Petrunkevitch, 1911	
AZ, CO, NM, UT	
<i>Theridion varians</i> Hahn, 1833	BC; WA
<i>Theridion yuma</i> Levi, 1963	AZ

Gen. *Theridula* Emerton, 1882

Theridula emertoni Levi, 1954	
AB, BC, MB, NB, NF, NS, ON, PQ, SK; AR, CT, DE, MA, ME, MI, MS, NH, NY, OH, SC, TN, WI, WV	
Theridula gonygaster (Simon, 1873)	AZ, FL
Theridula opulenta (Walckenaer, 1841)	
ON; AL, AR, DC, FL, GA, IL, IN, KY, LA, MD, MN, MO, MS, NC, NJ, NY, OH, OR, PA, SC, TN, TX, UT, VA, WV	
Gen. Thymoites Keyserling, 1884	
Thymoites camano (Levi, 1957)	
BC; CA, OR, UT, WA	
Thymoites expulsus (Gertsch & Mulaik, 1936)	
AL, CA, FL, LA, NC, TX	
Thymoites illudens (Gertsch & Mulaik, 1936)	TX
Thymoites maderae (Gertsch & Archer, 1942)	AZ
Thymoites marxi (Crosby, 1906)	
AL, AR, CT, FL, GA, MD, MO, MS, NC, NJ, NY, OH, TN, TX, VA	
Thymoites minero Roth, 1992	AZ
Thymoites minnesota Levi, 1964	
AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; MI, MN	
Thymoites missionensis (Levi, 1957)	TX
Thymoites oleatus (L. Koch, 1879)	
BC, NF NT, NU, YT	
Thymoites pallidus (Emerton, 1913)	
CA, CO, FL, GA, MA, MS, NC, NY, RI, TN, TX, UT	
Thymoites pictipes (Banks, 1904)	
AZ, CA, OR, WA	
Thymoites sarasota (Levi, 1957)	FL
Thymoites sclerotis (Levi, 1957)	AZ, NM
Thymoites unimaculatus (Emerton, 1882)	
MB, NB, NS, ON, PQ, SK; AL, CT, FL, GA, IA, IL, IN, LA, MA, MD, ME, MI, MN, MS, NC, NJ, NY, OH, PA, RI, SC, TN, TX, WI	
Gen. Tidarren Chamberlin & Ivie, 1934	
Tidarren haemorrhoidale (Bertkau, 1880)	
AZ, CA, FL, TX	
Tidarren sisyphooides (Walckenaer, 1841)	
AL, AR, AZ, CA, FL, KY, LA, MS, NC, SC, TX	
Gen. Wamba O. Pickard-Cambridge, 1896	
Wamba congener O. Pickard-Cambridge, 1896	FL
Wamba crispulus (Simon, 1895)	
NS, ON, PQ; AL, AR, CA, FL, GA, LA, MA, MD, ME, MS, NC, NH, NY, OH, OR, SC, TN, TX, VA	
Gen. Yunohamella Yoshida, 2007	

Yunohamella *lyrica* (Walckenaer, 1841)

NB, NS, ON, PQ; AL, AR, CT, FL, GA, IA, IN, KY, LA, MA, ME, MI, MS, NC, NH,
NJ, NY, OH, PA, SC, TN, TX, VA, WI

(List compiled by Michael Draney, 13 September 2001)

(Revised list compiled by D. Allen Dean, 26 January 2015)

(Modified by D. Allen Dean, 22 July 2016)