

World Spider Catalog (accessed 18 January 2015)
Family: Theridiidae Sundevall, 1833

Gen. *Anelosimus* Simon, 1891

- Anelosimus analyticus* (Chamberlin, 1924) AZ?, CA
- Anelosimus arizona* Agnarsson, 2006 AZ
- Anelosimus studiosus* (Hentz, 1850)
AL, AR, CT, DC, FL, GA, LA, MD, MS, NC, SC, TN, TX, VA

Gen. *Argyrodes* Simon, 1864

- Argyrodes elevatus* Taczanowski, 1873
AL, CA, FL, GA, LA, MO, MS, NC, SC, TX, VA
- Argyrodes nephilae* Taczanowski, 1873
AR, FL, MS, SC
- Argyrodes pluto* Banks, 1906
MD, MO, TX, VA

Gen. *Asagena* Sundevall, 1833

- Asagena americana* Emerton, 1882
AB, BC, MB, NB, ON, PQ, SK; AL, AZ, CO, CT, DC, FL, GA, ID, IL, IN, MD, ME,
MI, MO, MS, NC, NE, NH, NJ, NM, NY, OH, OK, OR, PA, RI, SC, TN, TX, UT, VA,
VT, WA, WI, WV
- Asagena fulva* (Keyserling, 1884)
AL, AZ, CA, CO, FL, GA, ID, LA, MS, NE, NM, NV, OK, OR, TX, UT
- Asagena medialis* (Banks, 1898)
AZ, CA, CO, NM, OR, UT, WY
- Asagena pulcher* (Keyserling, 1884)
AZ, CA, CO, NM, OR

Gen. *Canalidion* Wunderlich, 2008

- Canalidion montanum* (Emerton, 1882)
AB, BC, LB, MB, NB, NF, NS, ON, PE, PQ, SK, YT; AK, CO, ME, MI, MN, MT, NH,
NM, NY, OR, TN, UT, VA, VT, WA, WY

Gen. *Chrosiothes* Simon, 1894

- Chrosiothes chirica* (Levi, 1954)
AZ, CO, UT
- Chrosiothes iviei* Levi, 1964 CA
- Chrosiothes jenningsi* Piel, 1995 WV
- Chrosiothes jocosus* (Gertsch & Davis, 1936) TX
- Chrosiothes minusculus* (Gertsch, 1936) TX
- Chrosiothes portalensis* Levi, 1964 AZ
- Chrosiothes silvaticus* Simon, 1894 FL

Gen. *Chryso* O. Pickard-Cambridge, 1882

- Chryso albomaculata* O. Pickard-Cambridge, 1882

MB; AL, FL, GA, LA, MS, NC, SC, TX
Chryso nordica (Chamberlin & Ivie, 1947)
NT, SK, YT; AK, CA, CO, MT, UT
Chryso pelyx (Levi, 1957) OR, UT
Chryso pulcherrima (Mello-Leitão, 1917) FL

Gen. Coleosoma O. Pickard-Cambridge, 1882
Coleosoma acutiventer (Keyserling, 1884)
AL, FL, GA, MS, TX
Coleosoma floridanum Banks, 1900
ON, PQ; FL, MA, ME, MN, NJ
Coleosoma normale Bryant, 1944
AZ, CA, FL, NC

Gen. Crustulina Menge, 1868
Crustulina altera Gertsch & Archer, 1942
ON; AL, AR, CT, DC, FL, GA, IL, IN, LA, MA, MD, MN, MO, MS, NC, NJ, NY, OH,
PA, SC, TN, TX, VA, WI
Crustulina sticta (O. Pickard-Cambridge, 1861)
AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK; AK, AZ, CA, CO, CT, IA, ID, IL, MA,
ME, MI, MN, NE, NH, NJ, NY, OH, OR, TX, UT, VA, WA, WI, WV, WY

Gen. Cryptachaea Archer, 1946
Cryptachaea ambera (Levi, 1963) UT, WY
Cryptachaea blattea (Urquhart, 1886)
BC; FL (introduced)
Cryptachaea canionis (Chamberlin & Gertsch, 1929)
BC; AZ, CA, TX, UT
Cryptachaea chiricahua (Levi, 1955) AZ
Cryptachaea fresno (Levi, 1955) CA
Cryptachaea insulsa (Gertsch & Mulaik, 1936) TX
Cryptachaea porteri (Banks, 1896)
AL, AR, FL, GA, IN, KS, KY, LA, MO, NC, NY, OH, SC, TN, TX, VA
Cryptachaea rupicola (Emerton, 1882)
ON, PQ; AL, CT, GA, IL, IN, KY, LA, MA, MD, ME, MI, MS, NC, NH, NJ, NY, OH,
PA, SC, TN, VA, WI
Cryptachaea serenoae (Gertsch & Archer, 1942) AL, FL

Gen. Dipoenia Thorell, 1869
Dipoenia abdita Gertsch & Mulaik, 1936
AL, AZ, CA, FL, GA, MS, NV, SC, TX
Dipoenia appalachia Levi, 1953
PQ; DC, GA, MD, MS, NC, TN, VA
Dipoenia bernardino Levi, 1963 CA
Dipoenia buccalis Keyserling, 1886
ON; AL, AR, AZ, CT, DC, FL, MD, MS, NC, NJ, NY, OH, PA, SC, TX, VA

Dipoenia cathedralis Levi, 1953 TX
Dipoenia chathamii Levi, 1953 AZ, GA
Dipoenia dorsata Muma, 1944
 AZ, FL, MD, NC
Dipoenia lana Levi, 1953 CA, OR
Dipoenia malkini Levi, 1953
 BC; AZ, CA, NM, OR, UT
Dipoenia neotoma Levi, 1953 CA
Dipoenia nigra (Emerton, 1882)
 BC, MB, NB, NF, NS, ON, PQ, SK; AR, AZ, CA, CO, CT, DC, FL, GA, IA, ID, IL,
 MA, ME, MI, MN, MS, MT, NC, NH, NJ, NM, NY, OK, OH, OR, PA, SC, SD, TN, TX,
 UT, VT, VA, WA, WI, WV, WY
Dipoenia provalis Levi, 1953 OR, UT
Dipoenia rita Levi, 1953 AZ
Dipoenia sulfurica Levi, 1953 AZ, NM
Dipoenia washougalia Levi, 1953
 BC; OR, WA

Gen. *Emertonella* Bryant, 1945
Emertonella emertoni (Bryant, 1933)
 AL, FL, GA, MA, NC, NY, SC, TN
Emertonella taczanowskii (Keyserling, 1886)
 AZ, CO, FL, MA, NM, TX, UT

Gen. *Enoplognatha* Pavesi, 1880
Enoplognatha caricis (Fickert, 1876)
 AB, MB, NF, ON, PQ, SK; AK, CO, CT, IA, IL, MA, MD, ME, MI, MN, NJ, NY, OH,
 PA, RI, TX, VA, WA, WI
Enoplognatha intrepida (Sørensen, 1898)
 AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK, YT; AK, CO, CT, IL, MA, MI, MN, MT,
 NH, NM, NY, PA, WI, WY
Enoplognatha joshua Chamberlin & Ivie, 1942
 AB, BC, SK; AZ, CA, GA, ID, UT, VA, WA, WY
Enoplognatha latimana Hippa & Oksala, 1982
 BC, NS, PQ
Enoplognatha maricopa Levi, 1962 AZ, CA
Enoplognatha marmorata (Hentz, 1850)
 AB, BC, MB, NB, NF, NS, ON, PQ, SK; AL, AZ, CA, CO, CT, GA, IA, IL, MO, MD,
 ME, MI, MN, MS, MT, NC, ND, NH, NJ, NM, NY, OH, OR, RI, TN, TX, UT, VA, WA,
 WI, WY
Enoplognatha ovata (Clerck, 1757)
 BC, NB, NF, NS, ON, PE, PQ, SK; CA, MA, ME, NY, OH, RI, WA, WI
Enoplognatha selma Chamberlin & Ivie, 1946 CA, OR
Enoplognatha thoracica (Hahn, 1833)
 BC, PQ; OR
Enoplognatha wyuta Chamberlin & Ivie, 1942

BC; SD, UT, WY

Gen. *Episinus* Walckenaer, in Latreille, 1809

Episinus amoenus Banks, 1911

AL, DC, FL, GA, MD, MS, NC, OH, TN, VA

Gen. *Euryopis* Menge, 1868

Euryopis argentea Emerton, 1882

AB, MB, NB, NS, ON, PQ, SK, YT; CO, CT, IL, MA, MD, MI, NJ, NY, OH, OR, VA, WI

Euryopis californica Banks, 1904

AZ, CA, NV, WI

Euryopis coki Levi, 1954

ID, UT, WY

Euryopis formosa Banks, 1908

BC; CA, ID, OR, UT, WA, WY

Euryopis funebris (Hentz, 1850)

BC, MB, NS, ON, PQ; AL, AR, CT, FL, GA, IA, IL, IN, LA, MA, MD, ME, MI, MS, NC, ND, NH, NJ, NY, OH, PA, SC, TN, VA, WI

Euryopis gertschi Levi, 1951

MB, ON, PQ, SK; CT, DC, IL, IN, MA, MI, VA

Euryopis lineatipes O. Pickard-Cambridge, 1893

TX

Euryopis mulaiki Levi, 1954

AZ, TX

Euryopis pepini Levi, 1954

ON; IA, OH, WI

Euryopis quinquemaculata Banks, 1900

DC, GA, MD, NY, OH, TX, VA

Euryopis saukea Levi, 1951

AB, MB, SK; MI, MN, NJ, WI

Euryopis scriptipes Banks, 1908

AB, BC, SK; AZ, CO, NE, NM, SD, UT, WY

Euryopis spinigera O. Pickard-Cambridge, 1895

AZ, CA, NM, OK, TX, UT

Euryopis spiritus Levi, 1954

CO

Euryopis tavana Levi, 1954

FL, GA, SC

Euryopis texana Banks, 1908

AZ, CO, TX, UT

Euryopis varis Levi, 1963

FL

Euryopis weesei Levi, 1963

OK

Gen. *Faiditus* Keyserling, 1884

Faiditus americanus (Taczanowski, 1874)

FL, MS, TX

Faiditus cancellatus (Hentz, 1850)

ON; AL, AR, CT, DC, FL, KY, LA, MO, MS, NC, NH, NY, OH, PA, SC, TN, TX, VA

- Faiditus caudatus (Taczanowski, 1874) TX, FL
 Faiditus davisi (Exline & Levi, 1962) TX
 Faiditus dracus (Chamberlin & Ivie, 1936) AL
 Faiditus globosus (Keyserling, 1884)
 AL, FL, LA, SC, TX
 Faiditus maculosus (O. Pickard-Cambridge, 1898) FL
 Faiditus subdolos (O. Pickard-Cambridge, 1898) AZ, TX
- Gen. Hentziectypus Archer, 1946
 Hentziectypus conjunctus (Gertsch & Mulaik, 1936)
 PQ; FL, LA, MS, NC, SC
 Hentziectypus florendidus (Levi, 1959) TX
 Hentziectypus florens (O. Pickard-Cambridge, 1896) TX
 Hentziectypus globosus (Hentz, 1850)
 MB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IA, IL, KY, LA, MA, MD, ME, MI, MN,
 MO, MS, NC, NH, NJ, NY, OH, PA, SC, TN, TX, WI
 Hentziectypus schullei (Gertsch & Mulaik, 1936)
 AZ, CA, FL, TX
- Gen. Lasaeola Simon, 1881
 Lasaeola atopa (Chamberlin, 1949) CA, UT
 Lasaeola prona (Menge, 1868)
 NS, PQ, SK; AZ, CA, CO, IL, MA, MI, NC, NM, NY, RI, SD, UT
- Gen. Latrodectus Walckenaer, 1805
 Latrodectus bishopi Kaston, 1938 FL
 Latrodectus geometricus C. L. Koch, 1841
 CA, FL, TX
 Latrodectus hesperus Chamberlin & Ivie, 1935
 AB, BC, SK; AR, AZ, CA, CO, IA, KS, MN, NM, OK, OR, TX, WA
 Latrodectus mactans (Fabricius, 1775)
 AL, AR, CA, CT, FL, GA, IL, IN, KS, LA, MO, MN, MS, NC, NJ, NY, OH, OK, SC,
 TN, TX, VA
 Latrodectus variolus Walckenaer, 1837
 AB, BC, ON; AR, CA, FL, GA, IL, KS, MA, MI, MO, OH, SC, TX, UT, VT, WA, WI,
 WV
- Gen. Neopispinus Marques, Buckup & Rodrigues, 2011
 Neopispinus cognatus (O. Pickard-Cambridge, 1893) TX
- Gen. Neospintharus Exline, 1950
 Neospintharus baboquivari (Exline & Levi, 1962) AZ, NM
 Neospintharus furcatus (O. Pickard-Cambridge, 1894)
 AL, CA, FL, GA, MS, SC, TX
 Neospintharus trigonum (Hentz, 1850)
 NB, NS, ON, PQ; AL, AR, CT, FL, GA, KY, MD, MA, ME, MI, MO, MS, NC, NH,

NY, OH, PA, SC, TN, TX, VA, WI, WV

Gen. Neottiura Menge, 1868

Neottiura bimaculata (Linnaeus, 1767)
AB, BC, NB, NF, NS, ON, PQ; WA

Gen. Nesticodes Archer, 1950

Nesticodes rufipes (Lucas, 1846)
FL, TX, WA

Gen. Ohlertidion Wunderlich, 2008

Ohlertidion ohlerti (Thorell, 1870)
AB, BC, LB, MB, NB, NF, NT, ON, PQ, SK, YT; AK, CA, CO, ID, MT, NM, OR, UT,
WY

Gen. Parasteatoda Archer, 1946

Parasteatoda tabulata (Levi, 1980)
NB, NF, ON, PQ
Parasteatoda tepidariorum (C. L. Koch, 1841)
AB, BC, MB, NF, NS, ON, PQ, SK; AL, AR, AZ, CA, CO, CT, FL, GA, IA, IL, IN, KS,
KY, LA, MA, MD, ME, MI, MN, MO, MS, NC, NH, NJ, NY, OH, OR, PA, SC, TN,
TX, VA, VT, WA, WI, WV

Gen. Paratheridula Levi, 1957

Paratheridula perniciosus (Keyserling, 1886)
AL, FL, GA, LA, MS, TX

Gen. Pholcomma Thorell, 1869

Pholcomma barnesi Levi, 1957 NC, PA
Pholcomma carota Levi, 1957
FL, GA, NC, SC
Pholcomma hirsutum Emerton, 1882
ON, PQ; CT, FL, GA, IN, KY, MD, MI, MO, MS, NC, NH, NJ, NY, OH, PA, SC, TN,
TX, VA, WI

Gen. Phoroncidia Westwood, 1835

Phoroncidia americana (Emerton, 1882)
NB, NS, ON, PQ; AL, AR, CT, DC, FL, GA, IN, MA, MD, MI, MS, NC, NJ, NY, OH,
SC, TN, TX

Gen. Phycosoma O. Pickard-Cambridge, 1879

Phycosoma lineatipes (Bryant, 1933)
AL, FL, LA, TX

Gen. Phylloneta Archer, 1950

Phylloneta impressa (L. Koch, 1881)

Robertus pumilus (Emerton, 1909)

PQ; CT, IN, MA, ME, NH, NY, PA

Robertus riparius (Keyserling, 1886)

MB, NB, NF, NS, ON, PQ; AK, AR, CT, IL, IN, MA, ME, MI, MN, MS, NC, NE, NH, NJ, NY, OH, PA, SD, TN, VT, WI, WY

Robertus similis (Kaston, 1946)

NY

Robertus spinifer (Emerton, 1909)

NB, NS, ON, PQ; CT, IA, MA, MI, NE, NH, NY

Robertus vigerens (Chamberlin & Ivie, 1933)

AB, BC, YT; AK, CA, ID, MT, OR, UT, WA

Gen. *Rugathodes* Archer, 1950

Rugathodes aurantius (Emerton, 1915)

AB, BC, MB, NB, NF, NS, ON, PQ, SK, YT; AK, ME, MI, NH, NY, TN, WI, WY

Rugathodes sexpunctatus (Emerton, 1882)

AB, BC, MB, NF, ON, PQ, SK, YT; AK, AZ, CA, FL, ID, MA, MD, ME, MI, NC, NH, NY, OH, OR, PA, TN, UT, VT, WA, WI, WV, WY

Gen. *Simitidion* Wunderlich, 1992

Simitidion simile (C. L. Koch, 1836)

BC; WA

Gen. *Spintharus* Hentz, 1850

Spintharus flavidus Hentz, 1850

AL, AR, CT, DC, FL, GA, KY, MA, MD, MS, NC, NJ, NY, OH, OK, SC, TN, TX, VA, WV

Gen. *Steatoda* Sundevall, 1833

Steatoda alamosa Gertsch, 1960

TX

Steatoda albomaculata (De Geer, 1778)

AB, BC, MB, NB, NT, ON, PE, PQ, SK, YT; AZ, CA, CO, CT, IA, ID, IL, IN, MA, MI, MN, MT, NE, NH, NM, NY, OH, OR, SD, UT, WA, WI, WY

Steatoda apacheana Gertsch, 1960

AZ, CO, NM

Steatoda atascadera Chamberlin & Ivie, 1942

CA

Steatoda bipunctata (Linnaeus, 1758)

BC, NB, NF, NS, ON, PQ; ME, NH

Steatoda borealis (Hentz, 1850)

AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; AK, CO, CT, DE, FL, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NY, OH, PA, RI, SC, SD, TX, VA, VT, WI, WV

Steatoda castanea (Clerck, 1757)

MB, ON, PQ

Steatoda erigoniformis (O. Pickard-Cambridge, 1872)

CT, FL

Steatoda grandis Banks, 1901

AZ, CO, NM, OR, SD, UT, WY

Steatoda grossa (C. L. Koch, 1838)

BC, NS, ON; AL, AZ, CA, CT, FL, GA, LA, MA, MS, OR, RI, SC, WA
Steatoda hespera Chamberlin & Ivie, 1933
 BC; CA, CO, ID, MT, NV, OR, UT, WA, WY
Steatoda mexicana Levi, 1957
 AZ, CO, ID, NM, TX, UT
Steatoda nobilis (Thorell, 1875) CA
Steatoda palomara Chamberlin & Ivie, 1935 AR, CA
Steatoda punctulata (Marx, 1898) AZ, TX
Steatoda quadrimaculata (O. Pickard-Cambridge, 1896)
 AL, FL, LA, MS, TX
Steatoda transversa (Banks, 1898)
 AZ, CA, TX
Steatoda triangulosa (Walckenaer, 1802)
 ON, PQ; AL, AR, CA, CO, CT, DC, FL, GA, IA, ID, IL, IN, KS, LA, MA, MD, MI,
 MO, MN, MS, NC, NE, NJ, NY, OH, OK, OR, PA, SC, TX, UT, VA, WI, WV
Steatoda variata Gertsch, 1960
 AZ, CO, NM, TX, UT, WY
Steatoda variata china Gertsch, 1960 TX
Steatoda washona Gertsch, 1960
 AZ, CA, ID, NV, OR, UT

Gen. *Stemmops* O. Pickard-Cambridge, 1894
Stemmops bicolor O. Pickard-Cambridge, 1894
 AL, FL, GA, MS, TX
Stemmops ornatus (Bryant, 1933)
 FL, GA, MO, MS, NC, NJ, OH

Gen. *Styposis* Simon, 1894
Styposis ajo Levi, 1960 AZ

Gen. *Tekellina* Levi, 1957
Tekellina archboldi Levi, 1957 FL

Gen. *Theonoe* Simon, 1881
Theonoe stridula Crosby, 1906
 MB, NB, NF, ON, PQ, SK; AK, MO, NC, NY, VA, WI

Gen. *Theridion* Walckenaer, 1805
Theridion aeolium Levi, 1963 AZ
Theridion agrifoliae Levi, 1957
 BC; CA, OR, WA
Theridion albidum Banks, 1895
 ON, PQ; AL, CT, DE, IA, IL, IN, KY, LA, MA, MD, MI, MO, NC, NJ, NS, NY, OH,
 PA, TN, VA, WI, WV
Theridion arizonense Levi, 1957 AZ, NM
Theridion australe Banks, 1899

AR, DE, FL, LA, MD, MS, NC, NJ, TX, UT
 Theridion californicum Banks, 1904
 BC; CA, OR, WA
 Theridion cameronense Levi, 1957 TX
 Theridion cheimatos Gertsch & Archer, 1942
 DE, GA, FL, OH, TN
 Theridion cinctipes Banks, 1898 TX
 Theridion cochise Levi, 1963 AZ
 Theridion cowlesae Levi, 1957 CA
 Theridion cynicum Gertsch & Mulaik, 1936 TX
 Theridion differens Emerton, 1882
 AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK; AL, AR, CA, CO, CT, FL, GA, ID, IA, IL,
 IN, KS, KY, MA, MD, ME, MI, MN, MO, MS, MT, NC, NE, NH, NJ, NY, OH, OK,
 OR, PA, SC, SD, TN, TX, UT, VA, VT, WA, WI, WY
 Theridion dilutum Levi, 1957
 AZ, CA, NV, TX, UT
 Theridion dividuum Gertsch & Archer, 1942
 AL, NC, SC, TX
 Theridion dulcineum Gertsch & Archer, 1942
 AL, GA, MD, TN, TX
 Theridion ellicottense Dobyms & Bond, 1996 GA
 Theridion flavonotatum Becker, 1879
 AL, AR, FL, GA, KY, MD, MS, NC, OH, SC, TN, TX
 Theridion frondeum Hentz, 1850
 AB, BC, MB, NB, NS, ON, PQ; AL, AR, AZ, CA, CT, FL, IA, IL, LA, MA, MD, ME,
 MI, MN, MS, NC, ND, NH, NJ, NY, OH, PA, SC, SK, TN, TX, VA, VT, WA, WI, WV
 Theridion geminipunctum Chamberlin, 1924 CA
 Theridion gertschi Levi, 1959 AZ
 Theridion glaucescens Becker, 1879
 MB, NB, NF, NS, ON, PE, PQ; AL, CT, FL, GA, IL, IN, KY, LA, MA, MD, ME, MI,
 MS, NC, NE, NH, NJ, NY, OH, PA, SC, TN, TX, VA, VT, WI, WV
 Theridion goodnightorum Levi, 1957
 AZ, CA, CO, NM, TX, UT, WY
 Theridion hemerobium Simon, 1914
 BC, MB, ON, PQ; CA, CT, IL, MA, MI, MN, NJ, NY, OH, OR, UT, WI
 Theridion hidalgo Levi, 1957 TX
 Theridion intritum (Bishop & Crosby, 1926)
 AL, FL, GA
 Theridion istokpoga Levi, 1957 FL
 Theridion kawea Levi, 1957
 CA, TX, UT
 Theridion lawrencei Gertsch & Archer, 1942
 BC; CA, ID, OR, WA
 Theridion leechi Gertsch & Archer, 1942
 BC; CA, CO, ID, OR, UT, WA, WY
 Theridion leviorum Gertsch & Riechert, 1976 NM

Theridion llano Levi, 1957 TX
Theridion logan Levi & Patrick, 2013 UT
Theridion melanostictum O. Pickard-Cambridge, 1876
PQ; FL (introduced)
Theridion melanurum Hahn, 1831
BC; CA, ID, UT
Theridion michelbacheri Levi, 1957
CA, MT, OR, WA
Theridion morulum O. Pickard-Cambridge, 1898 AZ
Theridion murarium Emerton, 1882
AB, BC, MB, NB, NF, NS, ON, PQ, SK; AL, AR, AZ, CA, CO, CT, FL, GA, IA, IL, IN,
LA, MA, MD, ME, MI, MN, MS, MT, NC, ND, NE, NH, NJ, NM, NY, OH, OK, OR,
PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI
Theridion myersi Levi, 1957 FL, TX
Theridion neomexicanum Banks, 1901
BC; AZ, CA, CO, ID, MT, NM, OR, UT, WA
Theridion neshamini Levi, 1957
AR, DE, GA, IL, NC, OH, PA, VA
Theridion orlando (Archer, 1950)
FL, GA, LA
Theridion pennsylvanicum Emerton, 1913
ON; AL, CT, FL, IL, MA, MD, MO, NC, NJ, NY, OH, SC, TN
Theridion petraeum L. Koch, 1872
AB, BC, MB, NB, NF, NS, ON, SK, YT; CA, CO, ID, ME, MI, ND, NE, NY, UT, WA
Theridion pictum (Walckenaer, 1802)
AB, BC, LB, MB, NB, NF, NS, NT, ON, PQ, SK; ID, IL, MA, ME, MI, MN, MT, NE,
NH, NY, SD, UT, WA, WI, WY
Theridion pierre Levi & Patrick, 2013 SD
Theridion positivum Chamberlin, 1924
CA, FL, TX
Theridion punctipes Emerton, 1924
CA, OR, WA
Theridion rabuni Chamberlin & Ivie, 1944
BC, NS, ON, SK; AR, CA, CO, DE, GA, MD, NC, NE, NJ, SD, TX, UT
Theridion saanichum Chamberlin & Ivie, 1947
BC; AK, CA, OR, WA
Theridion sardis Chamberlin & Ivie, 1944 FL, GA
Theridion submissum Gertsch & Davis, 1936
AZ, NM, TX
Theridion timpanogos Levi, 1957 UT
Theridion transgressum Petrunkevitch, 1911
AZ, CO, NM, UT
Theridion varians Hahn, 1833 BC; WA
Theridion yuma Levi, 1963 AZ

Gen. *Theridula* Emerton, 1882

Theridula emertoni Levi, 1954

AB, BC, MB, NB, NF, NS, ON, PQ, SK; AR, CT, DE, MA, ME, MI, MS, NH, NY, OH, SC, TN, WI, WV

Theridula gonygaster (Simon, 1873)

AZ, FL

Theridula opulenta (Walckenaer, 1841)

ON; AL, AR, DC, FL, GA, IL, IN, KY, LA, MD, MN, MO, MS, NC, NJ, NY, OH, OR, PA, SC, TN, TX, UT, VA, WV

Gen. *Thymoites* Keyserling, 1884

Thymoites camano (Levi, 1957)

BC; CA, OR, UT, WA

Thymoites expulsus (Gertsch & Mulaik, 1936)

AL, CA, FL, LA, NC, TX

Thymoites illudens (Gertsch & Mulaik, 1936)

TX

Thymoites maderae (Gertsch & Archer, 1942)

AZ

Thymoites marxi (Crosby, 1906)

AL, AR, CT, FL, GA, MD, MO, MS, NC, NJ, NY, OH, TN, TX, VA

Thymoites minero Roth, 1992

AZ

Thymoites minnesota Levi, 1964

AB, BC, MB, NB, NS, NT, ON, PQ, SK, YT; MI, MN

Thymoites missionensis (Levi, 1957)

TX

Thymoites oleatus (L. Koch, 1879)

BC, NF, NT, NU, YT

Thymoites pallidus (Emerton, 1913)

CA, CO, FL, GA, MA, MS, NC, NY, RI, TN, TX, UT

Thymoites pictipes (Banks, 1904)

AZ, CA, OR, WA

Thymoites sarasota (Levi, 1957)

FL

Thymoites sclerotis (Levi, 1957)

AZ, NM

Thymoites unimaculatus (Emerton, 1882)

MB, NB, NS, ON, PQ, SK; AL, CT, FL, GA, IA, IL, IN, LA, MA, MD, ME, MI, MN, MS, NC, NJ, NY, OH, PA, RI, SC, TN, TX, WI

Gen. *Tidarren* Chamberlin & Ivie, 1934

Tidarren haemorrhoidale (Bertkau, 1880)

AZ, CA, FL, TX

Tidarren sisypoides (Walckenaer, 1841)

AL, AR, AZ, CA, FL, KY, LA, MS, NC, SC, TX

Gen. *Wamba* O. Pickard-Cambridge, 1896

Wamba congener O. Pickard-Cambridge, 1896

FL

Wamba crispulus (Simon, 1895)

NS, ON, PQ; AL, AR, CA, FL, GA, LA, MA, MD, ME, MS, NC, NH, NY, OH, OR, SC, TN, TX, VA

Gen. *Yunohamella* Yoshida, 2007

Yunohamella lyrica (Walckenaer, 1841)

NB, NS, ON, PQ; AL, AR, CT, FL, GA, IA, IN, KY, LA, MA, ME, MI, MS, NC, NH,
NJ, NY, OH, PA, SC, TN, TX, VA, WI

(List compiled by Michael Draney, 13 September 2001)

(Revised list compiled by D. Allen Dean, 26 January 2015)

(Modified by D. Allen Dean, 22 July 2016)