

World Spider Catalog (accessed 18 January 2015)
Family: Thomisidae Sundevall, 1833

Gen. *Bassaniana* Strand, 1928

Bassaniana floridana (Banks, 1896)

AL, AR, FL, GA, LA, MD, MS, NJ, OH, SC, TX, VA

Bassaniana utahensis (Gertsch, 1932)

AB, BC, LB, MB, NB, NF, NS, NT, NU, ON, PQ, SK; AK, AZ, CA, CO, FL, ID, MA, ME, MI, MN, MS, MT, ND, NH, NM, NV, NY, OH, OR, PA, SD, TX, UT, VT, WA, WI

Bassaniana versicolor (Keyserling, 1880)

ON; AL, AR, AZ, CT, FL, IA, IL, IN, KS, KY, LA, MA, MD, MI, MO, MS, NC, NE, NM, NY, OH, OR, PA, RI, TN, TX, VA, WI, WV

Gen. *Bucranium* O. Pickard-Cambridge, 1881

Bucranium sp.

TX

Gen. *Coriarachne* Thorell, 1870

Coriarachne brunneipes Banks, 1893

AB, BC, MB, NT, ON, PQ, SK; AK, AZ, CA, CO, ID, NV, OR, WA, WY

Gen. *Diaea* Thorell, 1869

Diaea livens Simon, 1876

CA

Diaea seminola Gertsch, 1939

FL

Gen. *Mecaphesa* Simon, 1900

Mecaphesa aikoae (Schick, 1965)

CA

Mecaphesa asperata (Hentz, 1847)

AB, BC, MB, ON, PQ, SK; AL, AR, CA, CO, CT, DC, FL, GA, ID, IL, IN, KS, KY, LA, MA, MD, MI, MN, MO, NC, NE, NH, NJ, NM, NY, OH, OK, PA, RI, TN, TX, UT, VA

Mecaphesa californica (Banks, 1896)

CA, CO, TX, UT

Mecaphesa carletonica (Dondale & Redner, 1976)

ON, PC; TX

Mecaphesa celer (Hentz, 1847)

AB, BC, SK; AL, AZ, CA, CO, FL, GA, ID, IN, KS, LA, MA, MI, MN, MO, MS, NC, NE, NM, NV, NY, OH, OK, OR, TX, UT, VA, WA, WY

Mecaphesa coloradensis (Gertsch, 1933)

AZ, CO, TX, UT

Mecaphesa deserti (Schick, 1965)

CA

Mecaphesa devia (Gertsch, 1939)

CA

Mecaphesa dubia (Keyserling, 1880)

AZ, CA, FL, KS, LA, MS, OK, TX

Mecaphesa gabrielensis (Schick, 1965)

CA

Mecaphesa importuna (Keyserling, 1881)

CA

Mecaphesa importuna belkini (Schick, 1965)

CA

Mecaphesa lepida (Thorell, 1877)

CA, UT

<i>Mecaphesa lowriei</i> (Schick, 1970)	CA
<i>Mecaphesa quercina</i> (Schick, 1965)	CA
<i>Mecaphesa rothi</i> (Schick, 1965)	CA
<i>Mecaphesa schlingeri</i> (Schick, 1965)	CA
<i>Mecaphesa sierrensis</i> (Schick, 1965)	BC
<i>Mecaphesa verityi</i> (Schick, 1965)	CA

Gen. *Misumena* Latreille, 1804

Misumena vatia (Clerck, 1757)

AB, BC, LB, MB, NB, NF, NS, NT, ON, PQ, SK, YT; AK, AL, AR, AZ, CA, CO, DC, FL, IA, ID, IN, KS, MA, MD, ME, MI, MN, MT, NC, NH, NJ, NM, NY, OR, PA, TN, TX, UT, VA, VT, WA, WY

Gen. *Misumenoides* F. O. Pickard-Cambridge, 1900

Misumenoides formosipes (Walckenaer, 1837)

AB, BC, ON, PQ; AL, AR, CA, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, NC, NE, NH, NJ, NY, OH, OK, PA, RI, TN, TX, VA, VT, WI, WV

Gen. *Misumenops* F. O. Pickard-Cambridge, 1900

Misumenops bellulus (Banks, 1896)

FL

Misumenops cruentatus (Walckenaer, 1837)

GA

Misumenops iners (Walckenaer, 1837)

GA

Gen. *Misumessus* Banks, 1904

Misumessus oblongus (Keyserling, 1880)

ON; AL, AZ, CA, CO, CT, DC, FL, GA, IL, IN, KY, LA, MA, MD, MI, MO, MS, NC, NE, NH, NJ, NM, NY, OH, OK, PA, TN, TX, UT, VA

Gen. *Modysticus* Gertsch, 1953

Modysticus floridanus (Banks, 1895)

FL, SC, TN

Modysticus modestus (Scheffer, 1904)

AR, FL, GA, IN, KS, MI, MO, OH, TX, VA, WV

Modysticus okefinokensis (Gertsch, 1934)

FL, GA

Gen. *Ozyptila* Simon, 1864

Ozyptila americana Banks, 1895

MB, NS, ON, PQ; AR, CT, IA, IN, KS, MA, ME, MI, MN, NE, NH, NY, OH, TX, VA

Ozyptila arctica Kulczyński, 1908

BC, NT, NU, YT; AK

Ozyptila beaufortensis Strand, 1916

AB; CO, ID, UT, WY

Ozyptila conspurcata Thorell, 1877

AB, BC, MB, ON, PQ, SK; AZ, CA, CO, CT, GA, IA, ID, IL, IN, MA, MD, MI, MN, MT, ND, NE, NH, NJ, NM, NY, OR, SD, UT, WA, WI

- Ozyptila creola* Gertsch, 1953 GA
Ozyptila curvata Dondale & Redner, 1975
 MB; MA, MN, VA
Ozyptila distans Dondale & Redner, 1975
 MB, NB, NF, NS, ON, PE, PQ; CT, IL, MA, MD, ME, MI, NC, NH, NJ, NY, PA, TN,
 VA, WI
Ozyptila formosa Bryant, 1930
 FL, MA, NY
Ozyptila georgiana Keyserling, 1880
 MB, NF, ON; CT, GA, IA, IL, MA, MI, MN, ND, NJ, NY
Ozyptila gertschi Kurata, 1944
 AB, LB, MB, NF, NS, NT, ON, PQ, SK, YT; ND
Ozyptila hardyi Gertsch, 1953 TX
Ozyptila inglesii Schick, 1965 CA
Ozyptila monroensis Keyserling, 1884
 ON; AL, AR, DC, FL, GA, IL, IN, KS, KY, MD, MI, MN, MO, NE, OH, PA, TX, VA,
 WI
Ozyptila pacifica Banks, 1895
 BC; AK, CO, OR, WA
Ozyptila praticola (C. L. Koch, 1837)
 BC, ON, PQ; MA, TX, WA
Ozyptila sincera canadensis Dondale & Redner, 1975
 AB, MB, NF, NS, NT, ON, PQ, SK, YT; AK, CO, MN, ND
Ozyptila sincera oraria Dondale & Redner, 1975
 MA, MD, NJ, NY, VA
Ozyptila trux (Blackwall, 1846) PQ
Ozyptila yosemitica Schick, 1965 CA, OR
- Gen. *Synema* Simon, 1864
Synema neomexicanum Gertsch, 1939 NM
Synema parvulum (Hentz, 1847)
 AL, AR, CA, DC, FL, GA, IN, KS, LA, MD, MO, NC, NJ, NM, OH, OK, VA
Synema viridans (Banks, 1896)
 FL, IA, TX
- Gen. *Thomisus* Walckenaer, 1805
Thomisus bicolor Walckenaer, 1837
 CT, DC, GA, MA, NC, NH, NJ, NY, VA
Thomisus bigibbosus Keyserling, 1881 NH
Thomisus oscitans Walckenaer, 1837 GA
Thomisus stigmatisatus Walckenaer, 1837 GA
Thomisus turgidus Walckenaer, 1837 GA
- Gen. *Tmarus* Simon, 1875
Tmarus angulatus (Walckenaer, 1837)
 BC, MB, NB, NS, ON, PQ; AL, AZ, CA, CT, DC, FL, IN, KY, MA, ME, MN, MO, MS,

NC, NE, NH, NJ, NM, NY, OK, OR, PA, TN, TX, UT, VT, WA
Tmarus floridensis Keyserling, 1884
 FL, GA, LA, TX
Tmarus minutus Banks, 1904
 DC, GA, VA
Tmarus rubromaculatus Keyserling, 1880
 AL, CT, DC, FL, GA, LA, MS, NC, TX
Tmarus salai Schick, 1965 CA
Tmarus unicus Gertsch, 1936 TX

Gen. *Xysticus* C. L. Koch, 1835

Xysticus acquiescens Emerton, 1919
 AB, MB, ON, SK; AK, NH
Xysticus albertensis Dondale, 2008 AB
Xysticus alboniger Turnbull, Dondale & Redner, 1965 ON
Xysticus ampullatus Turnbull, Dondale & Redner, 1965
 MB, NB, NS, ON, PQ
Xysticus apacheus Gertsch, 1933
 AZ, CO, NM, TX, UT
Xysticus apalacheus Gertsch, 1953 FL
Xysticus aprilinus Bryant, 1930
 AZ, CA, TX
Xysticus auctifucus Keyserling, 1880
 AB, SK; AL, AR, CO, GA, IA, IL, KS, LA, MS, OK, SD, TX
Xysticus banksi Bryant, 1933
 NB; CT, IL, IN, MA, MD, NC, NJ, NY
Xysticus benefactor Keyserling, 1880
 AB, BC; AZ, CA, CO, ID, MT, NM, OR, UT, WA, WY
Xysticus bicuspis Keyserling, 1887
 ON; AK, AL, CO, CT, DC, IA, IL, IN, MA, MD, ME, MI, MO, MT, NH, NJ, NY, OH,
 RI, VA, VT, WI
Xysticus britcheri Gertsch, 1934
 AB, BC, MB, NB, NS, NT, NU, ON, PQ, SK, YT; AK, NY
Xysticus californicus Keyserling, 1880 BC
Xysticus canadensis Gertsch, 1934
 AB, BC, LB, MB, NB, NF, NT, ON, PQ, SK, YT; NH
Xysticus chaparralis Schick, 1965 CA
Xysticus chippewa Gertsch, 1953
 AB, MB, NT, ON, PQ, SK, YT; MI
Xysticus cochise Gertsch, 1953 AZ
Xysticus coloradensis Bryant, 1930
 CA, CO, NM, TX, UT
Xysticus concursus Gertsch, 1934 TX
Xysticus cristatus (Clerck, 1758) BC
Xysticus cunctator Thorell, 1877
 AB, BC, NT, SK, YT; AZ, CA, CO, ID, MT, NE, NM, NV, OK, OR, UT, WA, WY

Xysticus deichmanni Sørensen, 1898
 NT, NU, YT; AK

Xysticus discursans Keyserling, 1880
 AB, BC, MB, NB, NF, NS, ON, PQ, SK; AL, AZ, CO, FL, IA, ID, IL, MA, MD, ME, MI, MS, NH, NV, NY, OH, PA, UT, WA

Xysticus durus (Sørensen, 1898)
 AB, BC, NT, PQ, YT; CO, NM, WY

Xysticus elegans Keyserling, 1880
 AB, BC, MB, NB, NF, NS, ON, PQ, SK; AK, CO, CT, DC, GA, IA, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, ND, NE, NH, NJ, NM, NY, OH, PA, TX, VT, WI, WV

Xysticus ellipticus Turnbull, Dondale & Redner, 1965
 AB, BC, MB, NB, NS, NT, ON, PQ, SK; CO, NH, SD, TX, VT

Xysticus emertoni Keyserling, 1880
 AB, BC, MB, NB, NF, NS, NT, ON, PQ, SK, YT; AK, AZ, CO, DC, GA, MA, ME, MI, MN, NE, NH, NJ, NM, NY, TX, UT, VT, WY

Xysticus facetus O. P.-Cambridge, 1896
 NM, UT

Xysticus ferox (Hentz, 1847)
 AB, BC, LB, MB, NB, NS, NT, ON, PQ, SK, YT; AK, AL, AR, CO, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MT, NC, NE, NH, NJ, NY, OH, PA, RI, SC, TN, TX, UT, VA, VT, WI, WV, WY

Xysticus fervidus Gertsch, 1953
 BC, MB, SK; CO

Xysticus flavovittatus Keyserling, 1880
 America

Xysticus floridanus Banks, 1896
 FL

Xysticus fraternus Banks, 1895
 ON, PQ; AL, CT, FL, GA, IL, IN, KY, LA, MA, MD, MI, MN, MO, NC, NJ, NM, NY, OH, PA, TN, VA, WV

Xysticus funestus Keyserling, 1880
 ON; AL, AR, CO, CT, DC, DE, FL, GA, IN, KS, MA, MD, MI, MO, MS, NC, NE, NJ, NM, NY, OH, OK, PA, RI, TN, TX, VA, WI, WV

Xysticus furtivus Gertsch, 1936
 TX

Xysticus gertschi Schick, 1965
 AB, BC, SK; CA

Xysticus gosiutus Gertsch, 1933
 BC; CA, OR, UT

Xysticus gulosus Keyserling, 1880
 AB, BC, NS, ON, PQ, SK; AL, CA, CO, CT, DC, IA, ID, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, NC, NH, NJ, NM, NY, OH, OK, OR, PA, RI, TN, TX, UT, VA, VT, WA, WI

Xysticus humilis Redner & Dondale, 1965
 AZ

Xysticus imitarius Gertsch, 1953
 UT

Xysticus indiligens (Walckenaer, 1837)
 GA

Xysticus iviei Schick, 1965
 CA

Xysticus iviei sierrensis Schick, 1965
 CA

Xysticus keyserlingi Bryant, 1930
 AB, BC, MB, NF, SK, YT

Xysticus labradorensis Keyserling, 1887
 AB, LB, MB, NF, ON, PQ, YT; AK, CA, CO, WA, WY
Xysticus lassanus Chamberlin, 1925
 AZ, CA, CO, NM, TX, UT
Xysticus laticeps Bryant, 1933
 AL, FL, GA, MS, SC
Xysticus locuples Keyserling, 1880
 BC; AZ, CA, CO, MT, NM, NV, OR, TX, UT, WA, WY
Xysticus luctans (C. L. Koch, 1845)
 AB, MB, NS, ON, PQ, SK; AL, CO, CT, DC, FL, IA, IL, IN, MA, MD, ME, MI, MN,
 NE, NH, NY, OH, PA, VA, VT, WI
Xysticus luctuosus (Blackwall, 1836)
 AB, BC, LB, MB, NF, ON, PQ, SK, YT; AK, MN, OR, UT, WY
Xysticus lutzi Gertsch, 1935 AZ, NM
Xysticus montanensis Keyserling, 1887
 AB, BC, MB, ON, PQ, SK, YT; AK, AZ, CA, CO, ID, MT, NM, NV, OR, UT, WA, WY
Xysticus nevadensis (Keyserling, 1880)
 CA, ID, NM, TX, UT
Xysticus nigromaculatus Keyserling, 1884
 AB, MB, SK; CO, ID, KS, NM, UT, WA
Xysticus obscurus Collett, 1877
 AB, BC, LB, MB, NF, NT, ON, PQ, SK, YT
Xysticus ocala Gertsch, 1953 FL, GA
Xysticus paiutus Gertsch, 1933
 AZ, ID, NM, NV, TX, UT
Xysticus pearcei Schick, 1965 CA
Xysticus pallax O. Pickard-Cambridge, 1894
 NS, ON, PQ, PQ; AZ, CO, CT, DC, ID, MD, ME, MO, MS, NC, ND, NE, NH, NM, NY,
 OH, TX, UT, VA, VT, WI
Xysticus peninsulanus Gertsch, 1934 FL
Xysticus posti Sauer, 1968 ND
Xysticus pretiosus Gertsch, 1934
 BC; AK, CA, OR, WA
Xysticus punctatus Keyserling, 1880
 AB, BC, MB, NB, NS, ON, PQ, SK; CA, CO, CT, FL, MA, MD, ME, MI, MT, NC, NH,
 NJ, NY, PA, TX, VT, WA, WV
Xysticus robinsoni Gertsch, 1953 TX
Xysticus rugosus Buckle & Redner, 1964
 AB, BC, YT
Xysticus sphericus (Walckenaer, 1837) GA
Xysticus tampa Gertsch, 1953 FL
Xysticus texanus Banks, 1904
 CO, FL, GA, KS, LA, TX
Xysticus triangulosus Emerton, 1894
 AB, BC, LB, MB, NB, NS, NT, ON, PQ, YT; AK, CO, MI, UT, WY
Xysticus triguttatus Keyserling, 1880

AB, BC, MB, NB, NF, NS, ON, PQ, SK, YT; CO, CT, DC, DE, FL, GA, IA, IL, IN, KS,
MA, MD, ME, MI, MN, MO, NC, NH, NJ, NY, OH, OK, PA, VA, WI, WV
Xysticus variabilis Keyserling, 1880
FL, GA, MS, NC
Xysticus winnipegensis Turnbull, Dondale & Redner, 1965
MB, NB, PQ

(List submitted by D. Allen Dean, 12 March 2002)
(Revised list compiled by D. Allen Dean, 26 January 2015)
(Modified by D. Allen Dean, 22 July 2016)